

Jenifer Lange, Council President
Ronald Anzalone, Councilman
Stephen Lanum, Councilman
George Muller, Councilman
Thomas Sarlo, Councilman
Peggy Steinhilber, Councilwoman

215-217 LIBERTY STREET • LITTLE FERRY, NJ 07643 201-641-9234 201-641-1957 FAX www.littleferrynj.org

# RE-SALE INSTRUCTIONS FOR CERTIFICATE OF SMOKE DETECTION, CARBON MONOXIDE ALARMS AND FIRE EXTINGUISHERS IN ONE AND TWO-FAMILY DWELLINGS

The applications are to be filled out and paid by the current owner or the agent in charge.

Please make sure that you DO NOT HAVE ANY OPEN PERMITS AND YOUR TAXES ARE CURRENT.

The Certificate shall be issued within ten (10) days of the receipt of the application.

Return the application forms, pictures of the location of the smoke detectors, carbon monoxide and fire extinguisher along with a check made payable to the Borough of Little Ferry.

BOROUGH OF LITTLE FERRY STATE OF NEW JERSEY ORDINANCE NO. 1272-04-09

AN ORDINANCE AMENDING AN ORDINANCE ENTITLED
"UNIFORM CONSTRUCTION CODE FEE SCHEDULE"
OF THE REVISED GENERAL ORDINANCES OF
THE BOROUGH OF LITTLE FERRY,
COUNTY OF BERGEN
AND STATE OF NEW JERSEY

BE IT ORDAINED by the Mayor and Council of the Borough of Little Ferry, that Chapter 90 Section 4 entitled "Uniform Construction Code: Fee Schedule" of the Ordinances of the Borough of Little Ferry is hereby amended and that those portions of the aforesaid set forth below are hereby amended as follows and that those portion of the Ordinance not set forth below shall remain unchanged:

Fee for certificate of continued occupancy for Resale Certificate: \$50.00 per dwelling unit

### BOROUGH OF LITTLE FERRY, NEW JERSEY

## CERTIFICATE OF ZONING COMPLIANCE

		75.0	
CERT NO			
DATE ISSUED _	277		
Block	Lot		
	*** ** *****		

IDENTIFICATION PLEASE PRINT OF	RTYPE PAYMENTS
Seller/Tenant  Site Address Agent  Tel. ()	Check No. Cash Other Collected By
E_MAIL ADDRESS:	
As required by Borough ordinance, an inspection of	· · · · · · · · · · · · · · · · · · ·
infractions and the premises are in compliance with	the Zoning Ordinance of the Borough of
Little Ferry, NJ, for continued occupancy as a	
located in a	zone district.
A general inspection of the visible parts of the building	ng reveals that there are no imminent hazards.
EXISTING PROPERTY INVENTORY	
Basement:	
First Floor:	
Second Fl.:	
Other:	
Commercial:	
RESIDENTIAL CERTIFICATION	
SMOKE DETECTOR COMPLIANCE CARBON MONOXIDE DETECTOR COMPLIANCE	
	ZONING OFFICER



Jenifer Lange, Council President
Ronald Anzalone, Councilman
Stephen Lanum, Councilman
George Muller, Councilman
Thomas Sarlo, Councilman
Peggy Steinhilber, Councilwoman

215-217 LIBERTY STREET • LITTLE FERRY, NJ 07643 201-641-9234 201-641-1957 FAX www.littleferrynj.org

### APPLICATION FOR ONE & TWO FAMILY DWELLING CERTIFICATION OF SMOKE DETECTOR COMPLICANCE

Dwelling Location: (not mailing address)	BlockLot
	Street
	MunicipalityLittle Ferry CountyBergen
*NOTE: ALL BOXES	MUST BE CHECKED IN ORDER FOR CERTIFICATION TO BE VALID
	On each level of the dwelling, including basements, excluding attic or crawl space; and
	Outside each separate sleeping area; and (within 10 feet of bedrooms)
	All smoke detectors are in working order.
This is a	story dwelling
This is a	one family dwelling,two family multi dwelling.
detectors required abov	conducted by the owner or an authorized representative of the owner. The shall be located in accordance with NFIPA 74. The detectors are not required to ery powered detectors are acceptable.

Note: AC powered and/or interconnected smoke detectors installed in homes constructed after January, 1977 shall be maintained in working order. See diagram on next page of this application for further information regarding installation.

Please mail certificate to:			
Phone number (area code			
Fax (area code)			
Contact Person:			
Closing Date:			
	ne foregoing statements ma made by me are willfully f		
Sworn and subscribed be	fore me this	day of	, 2
Notary Signature	<del></del>	Applicant S	Signature
		Printed Nar	
Note: a check/money orc Borough of Little Ferry I processing and delivery.	fer or cash in the amount of must accompany this applic A CSDC shall not be trans SDC does not occur within	f (follow fee schedu cation. Please allow ferable. If the chang	le) made payable to the ten (10) days for ge of occupancy specified
******SMOKE DE	TECTOR APPLICATION	FEES ARE NON-R	EFUNDABLE*****
	FOR OFFICE	E USE ONLY	
Municipal Code:	Log Number	Ch	eck Number



Jenifer Lange, Council President
Ronald Anzalone, Councilman
Stephen Lanum, Councilman
George Muller, Councilman
Thomas Sarlo, Councilman
Peggy Steinhilber, Councilwoman

215-217 LIBERTY STREET • LITTLE FERRY, NJ 07643 201-641-9234 201-641-1957 FAX www.littleferrynj.org

### IT IS IMPERATIVE THAT YOU SEE THE TAX OFFICE TO ENSURE THAT TAXES ARE CURRENT

PROPERTY OWNE	R:	
ADDRESS		
BLOCK	LOT	QUAL NO
TAXES ARE CURR	ENT AS OF	
TAX CLERK	ANNA MOROL	

/bs



Jenifer Lange, Council President
Ronald Anzalone, Councilman
Stephen Lanum, Councilman
George Muller, Councilman
Thomas Sarlo, Councilman
Peggy Steinhilber, Councilwoman

#### **OFFICIAL USE ONLY**

THIS IS TO CERTIFY THAT THER ARE:

DATE:		
OPEN PERMITS		
NO OPEN PERMITS		
BLOCK	LOT	
FOR THE FOLLOWING ADDRESS		· · · · · · · · · · · · · · · · · · ·
Gino Tessaro Zoning Official		



Jenifer Lange, Council President
Ronald Anzalone, Councilman
Stephen Lanum, Councilman
George Muller, Councilman
Thomas Sarlo, Councilman
Peggy Steinhilber, Councilwoman

215-217 LIBERTY STREET • LITTLE FERRY, NJ 07643 201-641-9234 201-641-1957 FAX www.littleferrynj.org

#### CERTIFICATE IN LIEU OF OATH

I,	am Eighteen	(18) years of age or older a	nd do solemnly affirm and
say:			
I will own and exercise cor the Borough of Little Ferry	ntrol over the premises lo , County of Bergen and S	cated at State of New Jersey.	located within
As of this date or intended to be occupied	the said premis by persons living indepe	ses contain no more than on ndently of each other, le: S	e dwelling unit occupied ingle Family Home.
If this structure holds mo	re than one dwelling ur	nit you are to indicate the	number of units, names
and address of all occupa	nts. □		
of any portion of this single understand and accept that as prescribed in the Ordina Ferry Codes. I acknowledge	e-family home, proposed failure to notify this agerance No.(s) (1197-06-06, ge that no area of the base tements herein made by r	corough of Little Ferry in the conversion to two or more ney upon such change will: 1198-07-06 & 1100-08-06) ement shall be used as a dweller are true and I am aware ject to legal action.	dwelling units. I subject me to legal penalty of the Borough of Little elling or sleeping area.
Sworn and subscribed be	efore me this	day of	, 2
	<del></del>	-	
Buyer Signature		Notary Sig NOTARY PUI	
Print Name			
Address if different than al	pove		

Any person who violates or causes to violate any provisions of the Borough of Little Ferry Zoning Ordinance(s), shall be liable to pay a penalty of not less than \$250.00 nor more than \$1,000.00 per day for each day of continuing violation or a confinement to not more than Ninety (90) days in jail or both for each of the summons issued. Each day a violation continues, beyond the date fixed or compliance in the notice provided for herein, shall continue a separate offense.

### TO BE COMPLETED BY BUYER



Please register your emergency contact information for your Business/Residence online at parkingrequest.com . Register under Key Holder information with valid email address



## **Borough of Little Ferry POLICE DEPARTMENT**



JAMES WALTERS
CHIEF OF POLICE

#### COUNTY OF BERGEN 215-217 LIBERTY STREET LITTLE FERRY, NJ 07643-1507

**INCORPORATED 1894** 

PHONE (201) 641-2770 – FAX (201) 641-4828 PoliceDepartment@littleferrypd.org

The Little Ferry Police Department is requesting that you fill out the necessary information listed below. This information is required on a yearly basis as per Borough Ordinance, and fines will be issued if it is not completed. This information will be kept confidential and on file at police headquarters in the event of an emergency after normal business hours. In the event of ANY changes at any time during the year, you must contact the Police Department with the updated information. Please fill out one copy and return it to the Police Department. If you need to make additional copies for changes, feel free to do so or you can obtain them from the Police Department

Yes
No

Revised: 2/01/2020

Does your business or home have a video surveillance device on the exterior of the building, and if so would you be willing to share this information to assist in an investigation. This is for your Your safety and is on a volunteer basis.

#### Please Print or Type All Information Clearly

Little Ferry Address	
Emergency Contacts  Contact #1 Name  Address	
Contact #1 Name	
Address	
Telephone # (	
Contact #2 Name	90
Address	
Telephone # (	
Turn over for more Contacts	

Date Received / /

Date Entered in Bus. File /

BUYER



Jenifer Lange, Council President
Ronald Anzalone, Councilman
Stephen Lanum, Councilman
George Muller, Councilman
Thomas Sarlo, Councilman
Peggy Steinhilber, Councilwoman

Borough of Little Ferry

215-217 LIBERTY STREET • LITTLE FERRY, NJ 07643 201-641-9234 201-641-1957 FAX www.littleferrynj.org

## REQUIREMENTS ON LOCATION OF SMOKE DETECTOR AND CARBON MONOXIDE DETECTOR INSTALLATION IN ONE AND TWO FAMILY DWELLINGS N.J.A.C.5:18-4.19

- 1. SMOKE DETECTORS SHALL BE LOCATED IN ACCORDANCE WITH NFPA AND MAINTAINED IN WORKING ORDER.
- 2. SMOKE DETECTORS AND CARBON MONOXIDE DETECTORS SHALL BE INSTALLED AS FOLLOWS:
  - ON EACH LEVEL OF THE PREMISES (INCLUDING BASEMENT)
  - OUTSIDE OF EACH SEPARATE SLEEPING AREA.
- 3. SMOKE DETECTORS AND CARBON MONOXIDE DETECTORS MAY BE BATTERY POWERED AND SHALL BE-LISTED IN ACCORDANCE WITH ANSI/UL 217. A/C POWERED SMOKE DETECTORS AND CARBON MONOXIDE DETECTORS SHALL BE ACCEPTED AS MEETING THE REQUIREMENTS OF THIS SECTION.
- 4. SMOKE DETECTORS AND CARBON MONOXIDE DETECTORS INSTALLED IN BASEMENT SHALL BE LOCATED IN CLOSE PROXIMITY TO THE STAIRWAY LEADING TO FLOOR ABOVE.
- 5. SMOKE DETECTORS AND CARBON MONOXIDE DETECTORS INSTALLED IN ROOMS WITH SLOPED CELINGS SHALL BE LOCATED AT HIGH SIDE OF ROOM.
- 6. SMOKE DETECTORS AND CARBON MONOXIDE DETECTORS INSTALLED IN HALLWAYS SHALL BE LOCATED SO SMOKE RISING IN THE STAIRWELL CANNONT BE PREVENTED FROM REACHING THE DETECTOR BY AN INTERVENING DOOR OR OBSTRUCTION.

SMOKE DETECTORS AND CARBON MONOXIDE DETECTORS ARE NOT REQUIRED IN CRAWL SPACES OR IN UNFINISHED ATTIC SPACES.

#### WHERE TO LOCATE DETECTORS:

Detectors are to be located on every level of a residence, (basement, first floor, second floor) excluding crawl spaces and unfinished attics, and in every separate sleeping area, between sleeping areas and living areas such as the kitchen, garage, basement or utility room. In homes with only one sleeping area on one floor, a detector is to be placed in the hallway outside the bedrooms as shown in: Figure 1. In single floor homes with two separate sleeping areas, two detectors are required, outside each sleeping area as shown in Figure 2. In multi-level homes, detectors are to be located outside sleeping areas and at every finished level of the homes as shown in Figure 3. Basement level detectors are to be located in close proximity to the bottom of basement stairwells as shown in Figure 4.

#### WHERE NOT TO LOCATE DETECTORS

To avoid false alarms and/or improper operation, avoid installation of smoke detectors in the following areas:

Kitchens-smoke from cooking may cause a nuisance alarm.

Bathrooms-excessive steam from a shower may cause a nuisance alarm.

Heat forced air ducts-used for heating or air-movement may prevent smoke from reaching detector.


The 4-inch "Dead Air" space where the ceiling meets the wall, as shown in Figure 5.

The peak of an "A" frame type of ceiling-"Dead Air" at the top may prevent smoke from reaching detector.

#### **FURTHER INFORMATION ON DETECTOR PLACEMENT:**

For further information about smoke detector placement consult the National Protection Association's Standard No. 74-1984, titled "Household Fire Warning Equipment". For Carbon Monoxide alarms, their publication is Recommended Practice #720. These publications may be obtained by writing to the Publication Sales Department National Fire Protection Association, Batterymarch Park, Quincy MA 02269.

Carbon monoxide alarms are to be located in every separate sleeping area per NFPA 720 and manufacturer's recommendations.



#### DEPARTMENT OF COMMUNITYU AFFAIRS DIVISION OF FIRE SAFETY MEMORANDUM

TO: ALL LOCAL ENFORCING AGENCIES

FROM: LOIS KILMER, CHIEF-BUREAU OF FIRE CODE ENFORCEMENT.

SUBJECT: REQUIREMENTS FOR FIRE EXTINGUISHERS IN ONE AND TWO-

FAMILY DWELLINGS.

DATE: NOVEMBER 15, 2005

The Legislature amended and enacted P.L. 1991, c.92 (C.52: 27D-198.1), requiring that all one and two-family dwellings at a change of occupancy be provided with a portable fire extinguisher, in addition to the requirements for smoke and carbon monoxide detectors. This provision does not apply to seasonal rental units. This act was signed into law on April 14, 2005 with an effective date of November 1, 2005.

The regulations were recently made available for public comment. The comment period has ended and the final adoption of the regulations will appear in the New Jersey Register in the near future. The Division of Fire Safety is advising all local enforcing agencies to enforce the regulations; using the guidelines below.

The requirements for the type and placement of the extinguishers are as follows:

- 1. At least one portable fire extinguisher shall be installed in all one and two-family dwellings (except seasonal rental units) upon change of occupancy.
- 2. The extinguisher shall be listed, labeled, charged, and operable.
- 3. The size shall be no smaller than 2A: 10B:C, rated for residential use and weigh no more than 10lbs.
- 4. The hangers or brackets supplied by the manufacturer must be used.
- 5. The extinguisher must be located within 10 feet of the kitchen.
- 6. The top of the extinguisher must not be more than 5 feet above the floor.
- 7. The extinguisher must be visible and in a readily accessible location, free from being blocked by furniture, storage, or other items.
- 8. The extinguisher must be near a room exit or travel path that provides an escape route to the exterior.
- 9. The extinguisher must be accompanied by an owner's manual or written information regarding the operation, inspection, and maintenance of the extinguisher; and
- 10. Lastly, the extinguisher must be installed with the operating instructions clearly visible.

New fire extinguishers are not required to be serviced and tagged; as long as the seller or agent can provide proof of purchase receipt.

Until the proposed regulations have been adopted, the statute should be cited for enforcement purposes. The correct citation is N.J.S.A. 52:27D-198.1. If you have any questions regarding the implementation of this act or its specific requirements, please contact our Local Assistance Unit at 609-633-6112.

#### The Threat of Carbon Monoxide

Carbon Monoxide: Deadly but Silent

Few poisons are as lethal as CO (carbon monoxide) or strike more secretly. Because you can't taste it, smell it, or see it, CO can affect you before you realize it. Most victims are overcome while they are sleeping. People poisoned at low levels by CO often mistake the early symptoms of headaches, dizziness, and nausea for the initial signs of the flu or cold.

The Consumer Product Safety Commission estimates that exposure to CO from sources inside the home accounts for approximately 250 deaths a year; while another 5,000 individuals are poisoned seriously enough to require medical attention. According to the American Medical Association, there are at least 750 unintentional deaths inside and outside the home from CO exposure each year.

Carbon monoxide is absorbed through the lungs and inhibits the blood's capacity to transport oxygen through the body which can eventually lead to brain damage. Within minutes, at higher concentration levels, CO poisoning can be fatal. While everybody is at risk, unborn babies, infants, senior citizens, and people with coronary or respiratory problems are most susceptible. If the victim is pregnant, CO poisoning can harm the fetus.

#### The Carbon Monoxide in Your Home

Carbon monoxide is produced when fuels such as natural gas, propane, heating oil, kerosene, coal charcoal, gasoline, or wood burn with insufficient air. It is also present in tobacco smoke. Homes with a fuel-fired furnace or space heater, a wood stove, a fireplace, an attached garage, gas appliances, and gas water heaters are especially vulnerable. In these energy-conscious times we all want to save by weatherproofing our homes. But if your house is tightly sealed against the elements, CO polluted air becomes trapped more easily, increasing your exposure to the danger of poisoning.

#### An Ounce of Prevention

Here are some steps you can take to protect yourself and your family:

- Have home furnaces and heating systems professionally inspected annually.
- Have the chimney and flue cleaned professionally.
- Open flues when fireplaces are in use
- Use proper fuel in kerosene space heaters.
- Make sure burner flames on furnaces and stoves are blue not yelloworange.
- Ensure that appliances such as gas dryers are properly vented.
- Never run an automobile in an attached garage or a gas engine in any enclosed space.
- Discourage or prohibit smoking indoors.
- Consider installing a carbon monoxide detector that meets the amended UL (Underwriters Laboratories) standard 2034, effective October 1, 1995. (Underwriters Laboratories has a set standard (UL 2034) that calls for a detector to sound the alarm before a person would experience a blood concentration of 10% carboxyhemoglobin. Cigarette smoking typically causes a level of about 9%.)

If you suffer from dizziness, nausea, fatigue, and headaches while you are home and feel better when you go out you may have CO poisoning. See a doctor and get a carboxyhemoglobin test to determine the percentage of carbon monoxide in your blood.

If you would like more information, there are several consumer hotlines established to address CO questions:

- The American Sensor's *Healthy Home* Hotline (800/387-4291)
- Local chapters of the American Lung Association (800/LUNG-USA)
- The Consumer Product Safety Commission (800/638-CPSC)